ELSEVIER

Volume 319, Numbers 1–2, 26 April 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letter

Crystal structure of $LaHo_{0.75}Sr_{0.25}CuO_{3.89}$: evidence of oxygen vacancies in the fluorite-like slab L1
E.M. Kopnin (Zürich, Switzerland and Moscow, Russia), A.A. Belik (Moscow, Russia), H. Schwer (Zürich, Switzerland), G. Böttger (Villigen, Switzerland) and J. Karpinski (Zürich, Switzerland)

Physics

Magnetic behaviour of $DyFe_4Ge_2$ and $ErFe_4Ge_2$ studied by ^{57}Fe, ^{161}Dy and ^{166}Er Mössbauer spectroscopy 1
P.C.M. Gubbens, B.D. van Dijk (Delft, The Netherlands), A.M. Mulders (Clayton, VIC, Australia), S.J. Harker (Delft, The Netherlands) and K.H.J. Buschow (Amsterdam, The Netherlands)

Double exchange magnetic interaction and giant negative magnetoresistivity in the spin glass state of the new compound $CuCr_{1.6}Sb_{0.4}S_4$ 7
J. Warczewski, J. Krok-Kowalski (Katowice, Poland), L.I. Koroleva (Moscow, Russia), T. Mydlarz, A. Gilewski (Wroclaw, Poland) and A. Pacyna (Kraków, Poland)

Magnetic and transport properties of Er_6Ni_2Sn 14
O. Syshchenko (Prague, Czech Republic), Yu. Stadnyk, L. Romaka, Ya. Mudryk (Lviv, Ukraine), R.V. Dremov and V. Sechovský (Prague, Czech Republic)

High pressure studies of a new ternary actinide compound, UV_2Al_{20} 19
I. Halevy, E. Sterer, M. Aizenshtein, G. Kimmel, D. Regev, E. Yahel (Beer-Sheva, Israel), L.C.J. Pereira and A.P. Goncalves (Sacavém, Portugal)

A neutron diffraction study of $HfFe_6Ge_6$-type $LuMn_6Ge_{6-x}Ga_x$ compounds (x=0.4, 0.7 and 1.0) 22
G. Venturini, A. Vernière and B. Malaman (Vandoeuvre les Nancy, France)

Magnetic properties of $U_{1-x}Lu_xNiGa$ solid solutions 29
A.V. Andreev, V. Sechovský, P. Javorský (Prague, Czech Republic), M.I. Bartashevich (Ekaterinburg, Russia and Chiba-ken, Japan), T. Goto (Chiba-ken, Japan), Y. Homma, Y. Shiokawa (Sendai, Japan) and D. Rafaja (Prague, Czech Republic)

Magnetic and structural properties of $GdFe_{2-x}Ti_x$ alloys 34
I.A. Al-Omari, M.A. Al-Akhras, M.K. Hasan, J. Shobaki and K.A. Azez (Irbid, Jordan)

On the occurrence of spin-reorientation transitions in $R_2Co_{17-x}Ga_x$ and $R_2Co_{17-x}Al_x$ compounds 37
Z.F. Gu (Amsterdam, The Netherlands and Guangzhou, PR China), Z.Y. Liu, D.C. Zeng (Guangzhou, PR China), S.Z. Liang (Amsterdam, The Netherlands and Guangzhou, PR China), J.C.P. Klaasse, E. Brück, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

^{119}Sn Mössbauer spectroscopy studies of RAgSn compounds (R=La, Ce, Pr) 43
K. Łątka, R. Kmieć and J. Gurgul (Kraków, Poland)

Neutron diffraction study of $HfFe_6Ge_6$-type $TmMn_6Ge_{6-x}Ga_x$ compounds (x=0.2, 0.4, 0.6, 0.8 and 1.0) 50
G. Venturini, A. Vernière and B. Malaman (Vandoeuvre les Nancy, France)

Theoretical investigation on site preference of foreign atoms in rare-earth intermetallics 62
Y. Wang, J. Shen, N.X. Chen and J.L. Wang (Beijing, China)

Interaction between components in the Ti–Mn–Sb system at 870 K and the physical properties of $Ti_5Mn_{0.45}Sb_{2.55}$ 74
A. Tkachuk, Yu. Gorelenko, Yu. Stadnyk (L'viv, Ukraine), B. Padlyak (L'viv, Ukraine and Gdansk, Poland), A. Jankowska-Frydel (Gdansk, Poland), O. Bodak (L'viv, Ukraine) and V. Sechovsky (Prague, Czech Republic)

Formation and magnetic properties of $Nd_3Fe_{29-x}Ti_x$ (x=1.3–2.0) compounds 80
B. Fuquan (Huhhot and Beijing, PR China), J.L. Wang, N. Tang (Beijing, PR China), W.Q. Wang (Beijing and Changchun, PR China), G.H. Wu and F.M. Yang (Beijing, PR China)

Elsevier Science B.V.

Crystal and magnetic structure of Tb_2CoGa_5 85
Ch.D. Routsi (Xanthi, Greece)

Chemistry

$ZnCl_2(4,4'\text{-bpy})$: a one-dimensional coordination polymer with two isomorphic phases 89
A. Fu, J.Y. Lu, X. Huang and J. Li (Camden, NJ, USA)

Synthesis of new compounds involving layered titanates and niobates with copper(II) 94
L. Magalhães Nunes, A. Gouveia de Souza (Paraíba, Brazil) and R. Fernandes de Farias (Roraíma, Brazil)

High-temperature modification of Y_5Sb_3 and its ternary analogue $Y_5Ni_xSb_{3-x}$ 100
Y. Mozharivskyj and H.F. Franzen (Ames, IA, USA)

Field activated combustion synthesis of the silicides of vanadium 108
F. Maglia, U. Anselmi-Tamburini, C. Milanese (Pavia, Italy), N. Bertolino and Z.A. Munir (Davis, CA, USA)

Effects of addition of rare-earth element on electrochemical characteristics of $ZrNi_{1.1}Mn_{0.5}V_{0.3}Cr_{0.1}$ hydrogen storage alloy electrodes 119
W.-X. Chen (Hangzhou, PR China)

Ternary nitrides prepared in the Li_3N–Mg_3N_2 system at 900–1000 K 124
H. Yamane, T.H. Okabe, O. Ishiyama, Y. Waseda and M. Shimada (Sendai, Japan)

Mercurial from synthesis to superconductivity: thermodynamic stratification of anionic charge ordering in cuprates 131
H. Oesterreicher (La Jolla, CA, USA)

Structure and optical investigation of neodymium propylenediphosphonate $NdH[O_3P(CH_2)_3PO_3]$ 140
E. Antic-Fidancev (Paris, France), F. Serpaggi and G. Férey (Versailles, France)

Metallurgy

Crystal structure of the new compound $Ce_4Pd_{29}Si_{14}$ 145
A.I. Tursina, A.V. Gribanov, Yu.D. Seropegin (Moscow, Russia) and O.I. Bodak (L'viv, Ukraine)

Crystal structure of R_5CuPb_3 (R=Y, La, Ce, Pr, Nd, Sm, Gd, Tb, Dy, Ho, Er, Tm, Lu) compounds 148
L.D. Gulay, J. Stępień-Damm and M. Wołcyrz (Wrocław, Poland)

Phase stability and electronic structure in $ZrAl_3$ compound 154
C. Colinet (Saint Martin d'Hères, France) and A. Pasturel (Grenoble, France)

Phase relations and superconducting properties of $YNi_{1-x}Cu_xBC$ compounds 162
G. Graw, K. Günther, G. Behr, W. Löser, K. Nenkov and U. Krämer (Dresden, Germany)

Crystal structure of $Sm_2Fe_{17-x}M_x$ compounds with M=Al, Si, Ga 168
A. Teresiak, M. Kubis, N. Mattern, K.-H. Müller and B. Wolf (Dresden, Germany)

Determination of transient interfacial heat transfer coefficients in chill mold castings 174
C.A. Santos, J.M.V. Quaresma and A. Garcia (Campinas, Brazil)

In-situ investigation of the formation of nickel silicides during interaction of single-crystalline and amorphous silicon with nickel 187
B. Bokhonov and M. Korchagin (Novosibirsk, Russia)

Isotope effect on structural transitions of $Ti_{1.0}Mn_{0.9}V_{1.1}H_X(D_X)$ and $Ti_{1.0}Cr_{1.5}V_{1.7}H_X(D_X)$ with hydrogenation 196
S.-W. Cho (Tokyo and Ibaraki, Japan), H. Enoki (Ibaraki, Japan), T. Kabutomori (Tokyo, Japan), C.-N. Park (Kwangju, South Korea) and E. Akiba (Ibaraki, Japan)

Standard enthalpies of formation of some lanthanide gallides by high temperature direct synthesis calorimetry 204
S.V. Meschel and O.J. Kleppa (Chicago, IL, USA)

Standard enthalpies of formation of some Mn–Y and Mn–Sc intermetallic compounds 210
A. Pisch, F. Hodaj, P. Chaudouët and C. Colinet (St. Martin d'Hères, France)

Isoplethic section in the quaternary system Fe–Co–Sm–Pr at 800°C with Sm/Pr=1 and R≤33.3 at% ($R=Sm_{0.5}Pr_{0.5}$) 214
B.W. Wang (Tianjin and Shenyang, China), Y.X. Li, Y.M. Hao (Tianjin, China), W.L. Liu and G. Jin (Shenyang, China)

Crystal structures of $R(Ag,Pb)_3$ (R=Y, Sm, Gd, Tb, Dy, Ho, Er, Tm) compounds 218
L.D. Gulay and M. Wołcyrz (Wrocław, Poland)

Order–disorder in binary alloys: a theoretical description by use of the Ising model 221
R. Krachler (Vienna, Austria)

Materials Science

Effect of Ti content on the martensitic transformation in zirconia for Ti–ZrO_2 composites 228
L. Teng (Beijing and Jinan, People's Republic of China), W. Li and F. Wang (Beijing, People's Republic of China)

Growth rate of intermetallic compounds in Al/Cu bimetal produced by cold roll welding process 233
M. Abbasi, A. Karimi Taheri and M.T. Salehi (Tehran, Iran)

Effect of Zn on the hydrogen storage characteristics of multi-component AB_5-type alloys 242
L.B. Wang, H.T. Yuan, Y.J. Wang, H.B. Yang, Q.D. Li, Y.N. Lin and Y.S. Zhang (Tianjin, China)

Phase relations in the MgO–Ga_2O_3–B_2O_3 system and the crystal structure of $MgGaBO_4$ 247
Z. Yang (Beijing and Kunming, PR China), X.L. Chen (Beijing, PR China), J.K. Liang (Beijing and Shengyang, PR China), Y.C. Lan and T. Xu (Beijing, PR China)

A molecular dynamics study on uranium–plutonium mixed nitride 253
K. Kurosaki, K. Yano, K. Yamada, M. Uno and S. Yamanaka (Osaka, Japan)

Reaction chemistry of plutonium with vanadium pentoxide in molten salts 258
D.M. Smith, M.P. Neu, E. Garcia and V.R. Dole (Los Alamos, NM, USA)

Supercooling, isothermal soaking and liquid phase separation of Cu–Co alloys 266
Z. Sun, X. Song, Z. Hu, S. Yang, G. Liang and J. Sun (Xi'an, People's Republic of China)

Thermoelectric properties of $BaUO_3$ 271
K. Kurosaki, T. Matsuda, M. Uno, S.-i. Kobayashi and S. Yamanaka (Osaka, Japan)

Effects of Ni addition on liquid phase separation of Cu–Co alloys 276
Z. Sun, X. Song, Z. Hu, G. Liang, S. Yang (Xi'an, People's Republic of China) and R.F. Cochrane (Leeds, UK)

The role of Nb addition in Nd–Fe–B sintered magnets with high performance 280
W.-H. Cheng, W. Li, C.-J. Li and X.-M. Li (Beijing, PR China)

An investigation of grain-boundary phase in Fe–30Mn–6Si–5Cr shape memory alloy 283
H.C. Lin (Taichung, Taiwan), C.S. Lin (Changhua, Taiwan), K.M. Lin and Y.C. Chuang (Taichung, Taiwan)

Hydriding properties of mechanically alloyed icosahedral phase $Ti_{45}Zr_{38}Ni_{17}$ 290
I.G. Konstanchuk (Novosibirsk, Russia), E.Yu. Ivanov (Grove City, OH, USA), B.B. Bokhonov and V.V. Boldyrev (Novosibirsk, Russia)

Structural investigations of the Al50Fe25Ti25 powder mixture mechanically alloyed under various conditions 296
M. Krasnowski and H. Matyja (Warsaw, Poland)

Thermoelectric performance of n-type and p-type β-$FeSi_2$ prepared by pressureless sintering with Cu addition 303
M. Ito, H. Nagai, T. Tanaka, S. Katsuyama and K. Majima (Osaka, Japan)

Hyperstoichiometric hydrogen occlusion by palladium nanoparticles included in NaY zeolite 312
N. Nishimiya, T. Kishi, T. Mizushima, A. Matsumoto and K. Tsutsumi (Toyohashi, Japan)

Author Index of Volume 319 323

Subject Index of Volume 319 325

Keyword list